

PRODUCT SPECIFICATION PROPANE R290 2.5

Formula: C₃H₈

| | <u>Value</u> | <u>Units</u> |
|----------------------------------|--------------|--------------|
| Propane | ≥ 99,5 | % |
| Impurities : | | |
| Ethane | ≤ 1700 | ppm |
| Propylene | ≤ 400 | ppm |
| I-butane | ≤ 3500 | ppm |
| N-butane | ≤ 1000 | ppm |
| Tot. Unsat. C4 | ≤ 100 | ppm |
| Oxygen + hydrogen | ≤ 25 | ppm |
| Water | ≤ 10 | ppm |
| Sulphur | ≤ 0,1 | ppm |
| Nitrogen | ≤ 100 | ppm |
| Carbon monoxide + carbon dioxide | ≤ 50 | ppm |
| 1,3-butadiene | ≤ 1 | ppm |

The conformity of the product which is filled into the receptacles with the above mentioned specification is ensured by our quality, environment and safety management system according to ISO 9001, ISO 14001 and OHSAS 18001.

This document is valid without signature.

Revision 04/2020

Balchem NV

Westvaartdijk 85, 1850 Grimbergen Belgium

Tel +32 (0)2 251 60 87 Fax +32 (0)2 252 17 51

E-mail: info.grimbergen@balchem.com

24h/7d emergency response nr. = +32 (0)14 58 45 45